

Technical Data Sheet



Reaction time
approx. 3 min.



Application field
for all types of electrical connections



Consumption
depending on application



Application interval
on demand

Electrical Contact Cleaner

Application

Remove heavy dirt from the parts to be treated. Strongly oxidized contacts should be cleaned mechanically. Shake the can vigorously before use. Spray the product from a distance of about 20-30 cm and leave it a few minutes to take effect.

Caution: Do not spray into voltage carrying parts!

Description

GAT Electrical Contact Cleaner is a product especially developed for cleaning of electrical terminals, switching and plug contacts and other electrical connections. The product takes care of thorough cleaning of terminals and controls oxidation at the various contact points.

Advantages

Improved electrically conductivity. Reduction of reoxidation and pollution. Reduces the voltage drop and removes oil and grease permanently.

Packing sizes	Packing Unit	Article Number
400 ml	12 x 400 ml	Art. 62088
other sizes available on request		

Properties

Physical state	liquid, Aerosol
Color	colourless
Density	0,71 g/cm ³
Flash Point	-80 (isobutane) °C

Compatibility

Do not spray into voltage carrying parts!

Safety instructions

Follow the application instructions on the technical data sheet (TDS). Read safety instructions in the Material Safety Data Sheet (MSDS) before using this product. Please keep out of reach of children. If medical advice is needed, have product container or label at hand and call poison centre/ doctor.

Disposal

Dispose of this product and container according to national/ regional regulations.

Although our information is based on intense product tests and studying and therefore considered as reliable, it nevertheless has solely advisory character.